



PEDANIOS 27/1 FRG-CA

Medicinal Cannabis

THC/CBD: Variety: Cultivar: Origin: Unit: Approx. 27 % / < 1 % Hybrid Indica dominant Farm Gas (FRG) Canada (CA) 10 g




Strain description:

This strain has a characteristic pleasant aroma with fruity undertones which facilitates administration and increases patient adherence.


Its pain-relieving, anti-inflammatory, and anxiolytic properties are attributed to the main terpenes limonene and β -caryophyllene, which have a positive effect on sleep disorders, stress and depression.¹

Terpene profile:



Shown as a percentage of the total terpene content. Percentages are averages over multiple batches. High terpene content (-2.7 %)

Plasma level of THC:



Blood plasma levels of THC after oral administration or inhalation intake [modified from source Grotenhermen 2003] 2

Inhalation:

Onset after 2 - 8 min Peack effect after 10 - 30 min Duration: 2 - 3 h

Flowers with high THC content limit the negative effects of vaporisation, as patients need to consume less to achieve the desired effect.

PEDANIOS 27/1 FRG-CA

TITRATION GUIDE

- There is currently no uniform starting dose for cannabis products nor uniform dosing information.
- Patients are recommended to slowly titrate to find their optimal dose for maximum therapeutic effects and minimal adverse effects.
- Timing of onset depends on mode of administration.

Onset and duration of effects for inhalation and oral adminstration³

	Inhalation		Oral administration	
Onset of Effect	(•)	Within seconds to minutes	Ŀ	Within 30 minutes to 2 hours
Peak Effects	Ŀ	Full effects peak within 30 minutes	Ŀ	Full effects peak within 4 hours
Duration of Effect	Ŀ	Up to 6 hours or longer	Ŀ	Up to 12 hours or longer

Adverse events should be reported. Reporting forms and information can be found at: www.mhra.gov.uk/yellowcard

> Adverse events should also be reported to: IPS Pharma | medicalcannabis@ipsspecials.com | 0800 644 0747



Aurora Medicine UK Limited | 5th Floor | 14-16 Dowgate Hill | London EC4R 2SU | United Kingdom

- 1. Russo E.B. (2011). Taming THC: potential cannabis synergy and phytocannabinoid-terpenoid entourage effects. British Journal of Pharmacology 163: 1344-1364.
- 2. Grotenhermen F; SO: Clin Pharmacokinet. 2003;42(4):327-60
- 3. Minister of Health HC, Health Canada. Health Effects of Cannabis.; 2017.