




PEDANIOS 22/1

Medical Cannabis
Product distributed in UK



Active ingredient: Approx. 22% THC
<1% CBD

Dominant: Sativa

Cultivar: Sour Tangine



Ingredients:



■ Terpinolene
■ β-myrcene
■ Limonene
■ α-pinene

Shown as a percentage of the total terpene content.
Percentages are averages over multiple batches.







| Terpene ¹ | Terpinolene | β-myrcene | Limonene | α-pinene |
|----------------------|---------------|---------------|--------------|--------------|
| Scent | sweet, fruity | woody, fruity | sweet, lemon | woody, spicy |

1. Russo E.B., "Taming THC: potential cannabis synergy and phytocannabinoid-terpenoid entourage effects," British Journal of Pharmacology 163 (2011), 1344-1364.

TITRATION GUIDE

- There currently is no uniform starting dose for cannabis products nor uniform dosing information.
- Patients are recommended to slowly titrate up to find their optimal dose for maximal therapeutic effects and minimal adverse effects.
- Timing of onset depends on mode of administration.

Onset and duration of effects for inhalation and oral administration²

| | Inhalation | Oral administration |
|--------------------|---|--|
| Onset of Effect |  Within seconds to minutes |  Within 30 minutes to 2 hours |
| Peak effects |  Full effects peak within 30 minutes |  Full effects peak within 4 hours |
| Duration of Effect |  Up to 6 hours or longer |  Up to 12 hours or longer |

2. Minister of Health HC, Health Canada. Health Effects of Cannabis.; 2017.

Adverse events should be reported. Reporting forms and information can be found at:
www.mhra.gov.uk/yellowcard

Adverse events should also be reported to:

IPS Pharma | medicalcannabis@ipsspecials.com | 0800 644 0747



AURORA®

Aurora Medicine UK Limited | 62 Wilson Street | London
 EC2A 2BU | United Kingdom